Supplemental Tables

Supplemental Table 1. Comparison of incidence rate of infection between patients with positive autoantibody and patients with negative autoantibody

	Та4а1	Event (n)	Event (%)	Total	Incidence Rate	IRR	95%CI	p value
	Total			person-year	s $(/10^3 \text{ person-years})$			
RF-IgM								
Negative	96	19	(79.2%)	370.6	51.3		1	
Positive	30	5	(20.8%)	107.7	46.4	0.91	(0.34-2.43)	0.844
ANA								
Negative	124	25	(65.8%)	465.3	53.7		1	
Positive	68	13	(34.2%)	261.6	49.7	0.92	(0.47- 1.81)	0.819
SSA								
Negative	9	1	(5.0%)	52.7	19.0		1	
Positive	75	19	(95.0%)	248.2	76.6	4.03	(0.54-30.12)	0.174
SSB								
Negative	30	6	(30.0%)	119.1	50.4		1	
Positive	54	14	(70.0%)	181.8	77.0	1.53	(0.59 - 3.98)	0.384

Supplemental Table 2. Comparison of incidence rate of death between patients with positive autoantibody and patients with negative autoantibody

	T-4-1	Example (m)	Examt (0/)	Total	Incidence Rate	IDD	050/CI	
	Totai	Event (n)	Event (%)	person-year	es $(/10^3 \text{ person-years})$	IRR	95%CI	p value
ANA								
Negative	124	3	(50.0%)	530.7	5.7		1	
Positive	68	3	(50.0%)	280.8	10.7	1.89	(0.38-9.36)	0.436
RF-IgM								
Normal	96	3	(100.0%)					
Abnormal	30	0	(0.0%)					
SSA								
Negative	9	0	(0.0%)					
Positive	75	3	(100.0%)					
SSB								
Negative	30	0	(0.0%)					
Positive	54	3	(100.0%)					