

**Supplementary Table 1 Characteristics of the study population**

Characteristics	Datum
Patient-related factors	
Gender(n)	
Male	1047(63.7%)
Female	596(36.3%)
Mean Age(years)	56.46
Tumor-related factors	
Tumor location	
Lower third	397 (24.2%)
Middle third	460 (28.0%)
Upper third	786 (47.8%)
Mean tumor size (cm)	5.26
Signet-ring cell carcinoma(n)	
yes	347(21.1%)
no	1296(78.9%)
TNM stage	
T	
1/2	444(27.0%)
3/4	1082(65.9%)
Unknown	117(7.1%)
N	
0/1	711(43.3%)
2/3	813 (49.5 %)
Unknown	119(7.2%)
M	
0	1330(80.9%)
1	313(19.1%)

BMI: body mass index

**Supplementary Table 2 Clinicopathological characteristics of 1330 patients receiving radical gastrectomy and univariate analysis of associated factors for postoperative DRE (+)**

	P-DRE (+)	P-DRE (-)	P value
Number of patients	38	1292	
Mean age (years)	50.05	56.98	<b>&lt;0.01</b>
Gender(n)			<b>0.01</b>
Female	23	451	
Male	15	841	
Mean tumor size(cm)	6.03	4.61	<b>&lt;0.01</b>
Tumor location (n)			0.32
Upper 1/3	8	335	
Middle 1/3	14	335	
Lower 1/3	16	622	
Signet-ring cell carcinoma(n)			0.20
No	33	1011	
Yes	5	281	
Ascites (n)			<b>&lt;0.01</b>
No	29	1215	
Mild	8	76	
Moderate	1	1	
Massive	0	0	
Vessel invasion			0.20
No	20	813	
Yes	18	479	
Perineural invasion			<b>0.03</b>
No	11	606	
Yes	27	686	
Extracapsular extension			<b>0.04</b>
No	24	1003	
Yes	14	289	
Tumor marker			
Mean CEA(ng/ml)	37.55	7.51	<b>&lt;0.01</b>
Mean CA199(ng/ml)	28.21	34.86	0.81
Mean CA724(ng/ml)	4.42	10.01	0.58
Mean BMI (kg/m2)	21.67	21.77	0.85
Depth of tumor invasion			<b>&lt;0.01</b>
T1	0	275	
T2	1	168	
T3	15	511	

T4a	19	293	
T4b	3	45	
Lymph node metastasis			<b>0.03</b>
N0	6	433	
N1	7	238	
N2	5	222	
N3a	10	238	
N3b	10	161	

DRE: digital rectal examination; BMI: body mass index; P-DRE: postoperative result of DRE.

**Supplementary Table 3 Multivariable logistic regression analysis of associated factors for postoperative DRE (+)**

Variable	OR	P value	95%CI
Higher age (yes vs no)	0.95	<b>&lt;0.01</b>	0.93-0.97
Male vs Female	2.24	<b>0.02</b>	1.19-3.29
Higher tumor size (yes vs no)		0.10	
Ascites (ref: no)		<b>&lt;0.01</b>	
Mild	2.40	0.05	0.98-3.82
Moderate	57.70	<b>&lt;0.01</b>	4.56-110.8
Perineural invasion (yes vs no)		0.69	
Extracapsular extension (yes vs no)		0.97	
Higher CEA (yes vs no)	1.01	<b>&lt;0.01</b>	1.001-1.019
T stage		0.07	
N stage		0.79	

DRE: digital rectal examination; OR: odds ratio; CI: confidence interval;