

**Triptolide sensitizes cisplatin-resistant human epithelial ovarian cancer
by inhibiting the phosphorylation of AKT**

Running Title: Triptolide sensitizes cancer treatment

**Genhua Huang¹, Hui Hu¹, Yao Zhang¹, Yinfang Zhu¹, Junli Liu¹,
Buzhen Tan^{1*}, Tingtao Chen^{1,2*}**

¹ Department of Obstetrics & Gynecology, The Second Affiliated Hospital of Nanchang University, Nanchang, Jiangxi 330006, PR China

² Institute of Translational Medicine, Nanchang University, Nanchang, Jiangxi 330031, PR China

Genhua Huang: 715708446@qq.com; Hui Hu: huhui2008@163.com; Yao Zhang: 624361180@qq.com; Yinfang Zhu: 513114737@qq.com; Junli Liu: 1321962770@qq.com

***Correspondence to:**

Dr. Buzhen Tan

Department of Obstetrics & Gynecology, The Second Affiliated Hospital of Nanchang University, Nanchang, Jiangxi 330006, PR China

tanbuzhen@sina.com; Tel: +86-791-86266912

Dr. Tingtao Chen

Institute of Translational Medicine, Nanchang University, Nanchang, Jiangxi 330031, PR China

chentingtao1984@163.com; Tel: +86-791-83827170




Fig S1 Evaluation of the best transfection concentration of FAM-siRNA (fluorescently-labeled siRNA). A, control. B, 50nM. C, 80nM. D, 100nM.




Fig S2 Evaluation of the best Akt siRNA fragment using q-PCR (n=6).