



















Bacteria	Controls	EPL patients	Z(P)
[Eubacterium] yurii	0.05042(0.00630,0.13551)	0.09454(0.01891,0.18278)	2.653(0.008)
group			
Atopobium	0.22375(0.08824,0.57828)	0.17018(0.07563,0.40338)	2.022(0.043)
Capnocytophaga	0.41283(0.13236,1.07462)	0.62398(0.23951,1.57570)	2.318(0.020)
Comamonas	0.00630(0.00000,0.01261)	0.00630(0.00000,0.01891)	2.176(0.030)
Defluviitaleaceae	0.00630(0.00000,0.03151)	0.01261(0.00000,0.03782)	2.252(0.024)
UCG-011			
Hydrobacter	0.00000(0.00000,0.00630)	0.00000(0.00000,0.00000)	2.076(0.038)
Odoribacter	0.00000(0.00000,0.00000)	0.00000(0.00000,0.00000)	2.312(0.021)
Peptostreptococcus	1.02735(0.53574,1.60563)	1.17862(0.73112,1.84672)	1.989(0.047
Taonella	0.00000(0.00000, 0.00000)	0.00000(0.00000, 0.00000)	2.065(0.039

Table S1. Comparative analysis of the genus level of tongue coating flora between EPL patients and Controls [Relative abundance (%), Median (P25, P75)]